



THE STATE  
of **ALASKA**  
GOVERNOR SEAN PARNELL

Department of Environmental  
Conservation

DIVISION OF ENVIRONMENTAL HEALTH  
Pesticide Control Program

1700 East Bogard Rd., Bldg. B, Ste. 103  
Wasilla, Alaska 99654  
Main: 907.376.1856  
Toll free: 800.376.1870  
Fax: 907.376.2382

June 20, 2013

Roger Johnson  
Copper River Watershed Project  
PO Box 1560  
Cordova, AK 99574

Subject: Permit to Apply Pesticides, # **13-AQU-02**

Dear Mr. Johnson,

The Department of Environmental Conservation (DEC) has completed its evaluation of your request for a permit for the application of the pesticide **AquaMaster Herbicide**, EPA Registration Number **524-343** with the active ingredient **glyphosate** to waters of the state to control invasive **Canary Reedgrass** in **Odiak Pond**, near **Cordova**, Alaska. DEC is issuing the enclosed permit in accordance with **Alaska Statute 46.03.330** and **Title 18, Chapter 90.525** of the **Alaska Administrative Code (18 AAC 90.525)** for a period not to exceed five years.

Any person who disagrees with this decision may request an adjudicatory hearing in accordance with **18 AAC 15.195 - 18 AAC 15.340**, or an informal review by the Division Director in accordance with **18 AAC 15.185**. Informal review requests must be delivered to the Division Director, Alaska Department of Environmental Conservation, 555 Cordova Street, Anchorage, AK 99501 within 15 days of the permit decision. Adjudicatory hearing requests must be delivered to the Commissioner of the Department of Environmental Conservation, 410 Willoughby Avenue, Suite 303, Juneau, Alaska 99801, within 30 days of the permit decision. In both cases, please also send a copy of the request to ADEC Pesticide Program, 1700 E. Bogard Road, Building B Suite 103, Wasilla, AK 99654. If a hearing is not requested within 30 days, the right to appeal is waived. More information about the submission of a request for an informal review or adjudicatory hearing may be found at [www.dec.state.ak.us/commish/ReviewGuidance.htm](http://www.dec.state.ak.us/commish/ReviewGuidance.htm).

Sincerely,

A handwritten signature in blue ink, appearing to read "RJB".

Robert J. Blankenburg, P.E.  
Solid Waste & Pesticides Program Manager

Enclosure

STATE OF ALASKA  
DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
555 CORDOVA STREET  
ANCHORAGE, ALASKA 99501

**PERMIT TO APPLY PESTICIDES**

Permit No.: 13-AQU-02  
Date Issued: June 20, 2013  
Date Effective: July 30, 2013  
Date Expires: December 31, 2017

The Alaska Department of Environmental Conservation (ADEC), under authority of Alaska Statute 46.03.330 and Title 18, Chapter 90.525 of the Alaska Administrative Code (18 AAC 90.525), hereby grants a Permit to Apply Pesticides to:

Roger Johnson  
Copper River Watershed Project  
PO Box 1560  
Cordova, AK 99574

for the purpose of applying the pesticide **AquaMaster Herbicide**, EPA Registration Number **524-343** with the active ingredient **glyphosate** to waters of the state to control invasive Canary Reedgrass in Odiak Pond, near Cordova, Alaska.

The permit holder shall manage and apply the pesticide in accordance with 18 AAC 90 and the permit application materials submitted April 12, 2013. In addition, the following permit conditions and stipulations are required:

1. Use pesticides only in the manner specified by the label instructions. Adhere to all the requirements specified by the pesticide product label.
2. Ensure that pesticides are applied only by a person properly certified by DEC to apply such pesticides, or a person under the direct supervision of a person so certified.
3. Apply pesticides using properly calibrated equipment, and in strict compliance with safety precautions.
4. Public notification signs must be posted prior to pesticide application at each point of access to the pond, as specified in 18 AAC 90.630(a). Signs shall remain posted at the treatment site until application is complete.
5. Maintain the following records for each pesticide used. Records must be available to DEC upon request:
  - Product name
  - EPA registration number
  - Target pest
  - Date and time of application
  - Location of drip stations
  - Method of application
  - Weather conditions during application

- Amount of pesticide used
  - Location and size of treatment area
  - Names of applicators
  - Purchase, storage, and disposal information
6. Dispose of empty pesticide containers in accordance with label directions and 18 AAC 90.615(a). Any burning of pesticide containers must be done in compliance with 18 AAC 50.
  7. Immediately report any spill or accident, alleged accident, or complaint to the DEC Pesticide Program at 1-800-478-2577.
  8. Ensure that decontamination, safety, and spill cleanup supplies are available at the treatment site at all times during application.
  9. Store all pesticide containers securely, as required by 18 AAC 90.615(d). Post a warning notice on the outside of each storage area in compliance with 18 AAC 90.615(e)-(h).
  10. No later than **March 31** of each year throughout the duration of the permit, submit a written Summary of Treatment Results in accordance with 18 AAC 90.535. This summary must include the following information:
    - Product name
    - EPA registration number
    - Target pest
    - Dates and times of application
    - Method of application
    - Weather conditions during applications
    - Total amount of pesticide used
    - Location and size of treatment area
    - Names of applicators
    - Purchase, storage, and disposal information
    - Assessment of success or failure of the treatments
    - Any observed effect on human health, safety or welfare, animals, or the environment

In addition to the above stipulations, the ADEC Pesticide Program may monitor treatments to ensure compliance with 18 AAC 90 and the Permit Conditions and Stipulations.

This permit expires on **December 31, 2017**, or upon completion of the above described project, whichever comes first, and may be revoked in accordance with 18 AAC 90.540.

  
\_\_\_\_\_  
Robert J. Blankenburg, P.E.

Solid Waste & Pesticides Program Manager